
SECRET Approved For Release 2000,04/17eioCJAsRDP78B04560A004700010026-9

PHOTOGRAPHIC INTERPRETATION REPORT

# WEEKLY SUMMARY AIR AND NAVAL ORDER OF BATTLE NORTH VIETNAM 17-23 APRIL 1965



NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER




GROUP 1

Excluded from automatic

NPIC/R-198/65

May 1965

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9



### WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

### Approved For Release 2000/04/#CRETA-RDP78B04560A004700010026-9

NPIC/R-198/65

NO FOREIGN DISSEM

### PREFACE

This weekly summary lists the air and naval order of battle imaged on photography covering North Vietnam. All active airfields and naval bases will be reported. Active targets are those where an order of battle has been observed since Inactive targets showing an order of battle will be reactivated.

Naval vessels observed in river naval areas, dispersal areas, or untargeted areas and aircraft observed in untar-

25X1D geted areas will be

25X1D

Targets are arranged 1) within the country by subject,

2) within the subject by WAC area, and 3) within the WAC area by geographic coordinates in ascending order.

Coverage on each target will be presented in chronological order. Aircraft and naval vessels observed in untargeted areas will be listed separately at the end of this report.

An explanation of column headings and photor eferences used in presenting the information is contained in the appendix.

### Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9

NOTE TO: Recapients of NPIC/R-198/65

The attached APPENDIX was ommitted in error from the subject report. It should be appreciated if you would insert missing page in its proper place.

Thank you,

NPIC REGISTRY

### Approved For Release 2000/04517 CHA-RDP78B04560A004700010026-9

NO FOREIGN DISSEM

NPIC/R-198/65

### **APPENDIX**

### COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

### COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

### PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears.  $\label{eq:continuous} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{ll} \end{subarray}$ 

### CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

## Approved For Release 2000/04/17 · CIA-RDP78B04560A004700010026-9 SECRET NO FOREIGN DISSEM 25

R-198/65

25X1A

Target Numbers Target WAC Coordinates BE NPIC -NORTH VIETNAM-AIR INSTALLATIONS HAIPHONG/KIEN AN AIRFIELD 2048N: 10636E Ø616 109-B 25X1A COMOR TARGET NO 25X1D AIRCRAFT -- NONE DISCERNIBLE. 25X1D AIRCRAFT -- 4 CAB AND 1 COLT. 25X1D HAIPHONG/CAT BI AIRFIELD 2049N: 10643E Ø616 109-A COMOR TARGET NO 25X1A 25X1D AIRCRAFT -- 1 COLT AND 6 PROBABLE MAX/MOOSE. 25X1D AIRCRAFT :- 1 CAB AND 6 MAX/MOOSE. 25X1D DIEN BIEN PHU AIRFIELD 2123N 10301E Ø616 105 COMOR TARGET NO 25X1A 25X1D AIRCRAFT -- 2 POSSIBLE CRATE. 1, 0 25X1D AIRCRAFT -- 2 CRATE. 25X1D

Approved For Release 2000/04/5ECREA-RDP78B04560A004700010026-9

R-198/65

NO FOREIGN DISSEM

25X1A

	TO PORTION DISCOM		20/1/			
[	Т	Coordinates	WAC	Target Numbers		
Ī	Target	Coordinates	i WAC	BE	NPIC	
25X1D 25X1D 25X1A 25X1D 25X1D	AIRGRAFT 2 CRATE.  HANOI/BAC MAI AIRFIELD	2113N 10402E	Ø616		131 112∹E ∤	
25X1A	COMOR TARGET NO					
25X1D	IDENTIFICATION ONLY.					
25X1D 25X1D	AIRCRAFT::1 PROBABLE MAX AND 1 PROBABLE C					
	HANDIZCIA LAM AIDEIELD	21/824 1/85/525	8616		112	
25X1A 25X1D 25X1D	AIRCRAFT 4 CRATE, 5 CAB; 1 SMALL STRAIGHT- WING, AND 2 HOUND.	2102N 10553E	Ø616		114:	
23/10	* ·	21100 1000				
25X1A 25X1D 25X1D	AIRCRAFT :== 37 (FAGOT/FRESCO) 1 COLT; CAND 19	2113N 10548E	Ø616		326-C (	
20,(10						

2 :

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9 LLEGIB

R-198/65

Target Numbers WAC Coordinates Target BE 25X1D AIRCRAFT -- :NONE :OBSERVED. 25X1D AIRCRAFT -- NONE OBSERVED. 25X1D AIRCRAFT -- NONE OBSERVED. 25X1D MILITARY INSTALLATIONS 109-B 2058N 10704E Ø615 HON GAY NAVAL BASE BAISCHAY COMOR TARGET NO 25X1A 25X1口 VESSELS -- NONE OBSERVED. 25X1D 2112N 10734E Ø615 103 PORT WALLUT NAVAL BASE COMOR TARGET NO 25X1A 25X1D IDENTIFICATION ONLY. 25X1D 1Ø3-B 2112N 10734E Ø615 PORT WALLUT NAVAL DISPERSAL AREA 25X1D IDENTIFICATION ONLY. 25X1D 2052N 10640E Ø616 109-E HAIPHONG NAVAL BASE COMOR TARGET NO 25X1A

# Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9 SECRET NO FOREIGN DISSEM 25

R-198/65

25X1A

ſ	T	Coordinates	WAC	Target Numbers	
	Target	Coordinates		BE	NPIC
.°. 25X1D .°. 25X1D	VESSELS 42 .PROBABLE SWATOW AND 2 PC.				
25X1D					
25X1D	IDENTIFICATION ONLY.				
25X1D		17200 194075	a. 13		100 61
25X1D	DONG HOT NAVAL AREA  VESSELS NONE OBSERVED.	1729N 10637E	Ø617 <		1Ø8-C1
25X1D	VESSELS → NONE OBSERVED.				
25X1D					
25X1A	QUANG KHE NAVAL BASE CUU DINH COMOR TARGET NO	1742N ± 1Ø629E >	Ø617	:	288
25X1D	VESSELS NONE OBSERVED.				
25X1D	VESSELS NONE OBSERVED.				
25X1D					

### Approved For Release 2000/04/13/E СБЕР-RDP78B04560A004700010026-9 NO FOREIGN DISSEM 25

R-198/65

25X1A

	Target	Coordinates	WAC	Target Numbers	
	l arget	Coordinates		BE	NPIC
25X1D 25X1D 25X1D 25X1D	VESSELS NONE OBSERVED.	1742N 1Ø629E	Ø617 ŧ		288-F
25X1D	VESSELS NONE OBSERVED.	·			
25X1A 25X1E 25X1I	VESSELS NONE OBSERVED.	1743N 10626E	Ø617:		102-D
25X1D					
25X1E					

# Approved For Release 2000/04/17: CIA-RDP78B04560A004700010026-9 SECRET NO FOREIGN DISSEM

R-198/65

Target Numbers Target WAC Coordinates BE NPIC VESSELS -- NONE OBSERVED. 25X1D SONG CA (RIVER) NAVAL AREA 1839N 10542E Ø617 128-D1 25X1D VESSELS -- 3 POSSIBLE SWATOW 25X1D 25X1D 25X1D VESSELS -- 2 CAMOUFLAGED SWATOW 25X1D VESSELS -- :3 SWATOW OFF EAST BANK AT 25X1D 25X1D AND 3 SWATOW OFF WEST BANK 25X1D VESSELS -- 3 CAMOUFLAGED SWATOW 25X1D 2 CAMOUFLAGED SWATOW 25X1D 25X1D 25X1D 25X1D AND 2 PROBABLE PATROL CRAFT AT 25X1D . 🧳 VESSELS -- 3 CAMOUFLAGED SWATOW UNDERWAY AT 25X1D

7

### Approved For Release 2000/04/13/ECREA-RDP78B04560A004700010026-9 25X1A

R-198/65

NO FOREIGN DISSEM

Target Numbers WAC Target Coordinates BE NPIC 25X1D 25X1D VESSELS -- 4 SWATOW OFF WEST BANK 25X1D PHUC LOI NAVAL BASE 1844N : 10545E : Ø617 128-M 25X1A COMOR TARGET NO 25X1D VESSELS - NONE OBSERVED. 25X1D VESSELS -- NONE OBSERVED. 25X1D VESSELS -- NONE OBSERVED. 25X1D VESSELS -- NONE OBSERVED. 25X1D SONG MATERIAL NAVAL AREA 1948N - 10555E = Ø617 126-N1 25X1D VESSELS -- NONE OBSERVED. 25X1D VESSELS. == 2 (CAMOUFLAGED):PROBABLE (SWATOW)OFF ( EAST BANK OF RIVER 25X1D 25X1D

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9 SECRET NO FOREIGN DISSEM

R-198/65

Target Numbers

Target Coordinates WAC ВE NPIC 25X1D VESSELS -- NONE OBSERVED. ′25X1D

### Approved For Release 2000/04/17: CIA-RDP78B04560A004700010026-9

### **APPENDIX**

### COLUMN HEADINGS

<u>City, Installation</u>--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

Coordinates--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

### COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

### PHOTO REFERENCE DATA

The photo reference data indicates the frame  $\!(s)$  on which the installation appears.

### CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

SECRET OF FOREIGN DISSEM

SECRET D FOREIGN DISSEM